

Terms used homogeneous barycentric vertices interpolation

Found 37 of 169,866

Sort results
byDisplay
results[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new
window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 37

Result page: **1** [2](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Rendering: A quadrilateral rendering primitive](#)

Kai Hormann, Marco Tarini

August 2004 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on
Graphics hardware****Publisher:** ACM PressFull text available:  [pdf\(12.22 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The only surface primitives that are supported by common graphics hardware are triangles and more complex shapes have to be triangulated before being sent to the rasterizer. Even quadrilaterals, which are frequently used in many applications, are rendered as a pair of triangles after splitting them along either diagonal. This creates an undesirable C^1 -discontinuity that is visible in the shading or texture signal. We propose a new method that overcomes this drawback and is designed t ...

4 Algebraic surface design with Hermite interpolation



Chanderjit L. Bajaj, Insung Ihm

January 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 1

Publisher: ACM Press

Full text available: pdf(8.01 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This paper presents an efficient algorithm called Hermite interpolation, for constructing low-degree algebraic surfaces, which contain, with C1 or tangent plane continuity, any given collection of points and algebraic space curves having derivative information. Positional as well as derivative constraints on an implicitly defined algebraic surface are translated into a homogeneous linear system, where the unknowns are the coefficients of the polynomial ...

Keywords: Algebraic surface, Hermite interpolation, computer-aided geometric design, geometric continuity, linear systems

5 Tracing ray differentials



Homan Igehy

July 1999 **Proceedings of the 26th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: pdf(1.05 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Real-time volume graphics



Klaus Engel, Markus Hadwiger, Joe M. Kniss, Aaron E. Lefohn, Christof Rezk Salama, Daniel Weiskopf

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: pdf(7.63 MB)

Additional Information: [full citation](#), [abstract](#)

The tremendous evolution of programmable graphics hardware has made high-quality real-time volume graphics a reality. In addition to the traditional application of rendering volume data in scientific visualization, the interest in applying these techniques for real-time rendering of atmospheric phenomena and participating media such as fire, smoke, and clouds is growing rapidly. This course covers both applications in scientific visualization, e.g., medical volume data, and real-time rendering, ...

7 Real-time shading



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: pdf(7.39 MB)

Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabilities ...

8 A family of tangent continuous cubic algebraic splines



Marco Paluszny, Richard R. Patterson

July 1993 **ACM Transactions on Graphics (TOG)**, Volume 12 Issue 3

Publisher: ACM Press

Keywords: cubic ovals, cubic splines, implicit curves, interpolation, piecewise algebraic curves

9 GPGPU: general purpose computation on graphics hardware



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  pdf(63.03 MB) Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

10 Non-distorted texture mapping for sheared triangulated meshes



Bruno Lévy, Jean-Laurent Mallet

July 1998 **Proceedings of the 25th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available:  pdf(355.88 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: discrete smooth interpolation, non distorted texture mapping, optimization, parametrization

11 A survey of methods for recovering quadrics in triangle meshes



Sylvain Petitjean

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Publisher: ACM Press

Full text available:  pdf(3.91 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirable to identify and fit simple surfaces of known type wherever these are in reasonable agreement with the data. We are interested in the class of quadric surfaces, that is, algebraic surfa ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

12 Higher-order interpolation and least-squares approximation using implicit algebraic surfaces



Chandrajit Bajaj, Insung Ihm, Joe Warren

October 1993 **ACM Transactions on Graphics (TOG)**, Volume 12 Issue 4

Publisher: ACM Press

Full text available:  pdf(6.68 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article, we characterize the solution space of low-degree, implicitly defined, algebraic surfaces which interpolate and/or least-squares approximate a collection of

scattered point and curve data in three-dimensional space. The problem of higher-order interpolation and least-squares approximation with algebraic surfaces under a proper normalization reduces to a quadratic minimization problem with elegant and easily expressible solutions. We have implemented our algebraic surface-fit ...

Keywords: algebraic surface, computer-aided geometric design, constrained quadratic optimization, distributed geometric-design environment, geometric continuity

13 Multiresolution analysis for surfaces of arbitrary topological type



Michael Lounsbery, Tony D. DeRose, Joe Warren
January 1997 **ACM Transactions on Graphics (TOG)**, Volume 16 Issue 1

Publisher: ACM Press

Full text available: pdf(4.63 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Multiresolution analysis and wavelets provide useful and efficient tools for representing functions at multiple levels of detail. Wavelet representations have been used in a broad range of applications, including image compression, physical simulation, and numerical analysis. In this article, we present a new class of wavelets, based on subdivision surfaces, that radically extends the class of representable functions. Whereas previous two-dimensional methods were restricted to functions dif ...

Keywords: compression, geometric modeling, level-of-detail control, splines, subdivision surfaces, wavelets

14 Texture synthesis: Texture design using a simplicial complex of morphable textures



Wojciech Matusik, Matthias Zwicker, Frédo Durand
July 2005 **ACM Transactions on Graphics (TOG)**, Volume 24 Issue 3

Publisher: ACM Press

Full text available: pdf(1.08 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a system for designing novel textures in the space of textures induced by an input database. We capture the structure of the induced space by a simplicial complex where vertices of the simplices represent input textures. A user can generate new textures by interpolating within individual simplices. We propose a morphable interpolation for textures, which also defines a metric used to build the simplicial complex. To guarantee sharpness in interpolated textures, we enforce histograms o ...

Keywords: data-driven models, image warping, morphable models, texture synthesis

15 Point-based computer graphics



Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: pdf(8.94 MB)

Additional Information: [full citation](#), [abstract](#)

This course introduces points as a powerful and versatile graphics primitive. Speakers present their latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research directions. We describe algorithms and discuss current problems and limitations, covering important aspects of point based graphics.

16 Contour tracing by piecewise linear approximations



David P. Dobkin, Allan R. Wilks, Silvio V. F. Levy, William P. Thurston
October 1990 **ACM Transactions on Graphics (TOG)**, Volume 9 Issue 4

Publisher: ACM Press

Full text available: pdf(2.74 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a method for tracing a curve that is represented as the contour of a function in Euclidean space of any dimension. The method proceeds locally by following the intersections of the contour with the facets of a triangulation of space. The algorithm does not fail in the presence of high curvature of the contour; it accumulates essentially no round-off error and has a well-defined integer test for detecting a loop. In developing the algorithm, we explore the nature of a particular c ...

17 Real-time rendering of translucent meshes



Xuejun Hao, Amitabh Varshney

April 2004 **ACM Transactions on Graphics (TOG)**, Volume 23 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.66 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Subsurface scattering is important for photo-realistic rendering of translucent materials. We make approximations to the BSSRDF model and propose a simple lighting model to simulate the effects on translucent meshes. Our approximations are based on the observation that subsurface scattering is relatively local due to its exponential falloff. In the preprocessing stage we build subsurface scattering neighborhood information, which includes all the vertices within effective scattering range from ea ...

Keywords: BSSRDF, local illumination, reflection models, subsurface scattering

18 View interpolation for image synthesis



Shenchang Eric Chen, Lance Williams

September 1993 **Proceedings of the 20th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available: [pdf\(2.18 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: image morphing, incremental rendering, interpolation, motion blur, motion compensation, real-time display, shadow, virtual holography, virtual reality

19 Pattern-based texturing revisited



Fabrice Neyret, Marie-Paule Cani

July 1999 **Proceedings of the 26th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: [pdf\(2.02 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: non-periodic tiling, patterns, texture mapping, texture synthesis

20 Creating multisided rational Bézier surfaces using base points



Joe Warren

April 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.41 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Rational Bézier surfaces provide an effective tool for geometric design. One aspect of the theory of rational surfaces that is not well understood is what happens when a rational parameterization takes on the value (0/0, 0/0, 0/0) for some parameter value. Such parameter values are called base points of the parameterization. Base points can be introduced into a rational parameterization in Bézier form by setting weights of appropriate control points to zero. By judiciously int ...

Keywords: blowing up, multisided patches

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+homogeneous +barycentric +vertices +interpolation +coeffic



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

homogeneous barycentric vertices interpolation coefficients

Found 25 of 169,866

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new
window

Results 1 - 20 of 25

Result page: [1](#) [2](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Algebraic surface design with Hermite interpolation](#)



Chanderjit L. Bajaj, Insung Ihm

January 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 1

Publisher: ACM Press

Full text available:

analysis. In this article, we present a new class of wavelets, based on subdivision surfaces, that radically extends the class of representable functions. Whereas previous two-dimensional methods were restricted to functions dif ...

Keywords: compression, geometriac modeling, level-of-detail control, splines, subdivision surfaces, wavelets

4 A family of tangent continuous cubic algebraic splines



Marco Paluszny, Richard R. Patterson

July 1993 **ACM Transactions on Graphics (TOG)**, Volume 12 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.01 MB\)](#) Additional Information: [full citation](#), [references](#), [citing](#)s, [index terms](#), [review](#)

Keywords: cubic ovals, cubic splines, implicit curves, interpolation, piecewise algebraic curves

5 GPGPU: general purpose computation on graphics hardware



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(63.03 MB\)](#) Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

6 Higher-order interpolation and least-squares approximation using implicit algebraic surfaces



Chandrajit Bajaj, Insung Ihm, Joe Warren

October 1993 **ACM Transactions on Graphics (TOG)**, Volume 12 Issue 4

Publisher: ACM Press

Full text available: [pdf\(6.68 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#)s, [index terms](#)

In this article, we characterize the solution space of low-degree, implicitly defined, algebraic surfaces which interpolate and/or least-squares approximate a collection of scattered point and curve data in three-dimensional space. The problem of higher-order interpolation and least-squares approximation with algebraic surfaces under a proper normalization reduces to a quadratic minimization problem with elegant and easily expressible solutions. We have implemented our algebraic surface-fit ...

Keywords: algebraic surface, computer-aided geometric design, constrained quadratic optimization, distributed geometric-design environment, geometric continuity

7 Real-time shading



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(7.39 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of

this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabilities ...

8 Point-based computer graphics



Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available: [pdf\(8.94 MB\)](#) Additional Information: [full citation](#), [abstract](#)

This course introduces points as a powerful and versatile graphics primitive. Speakers present their latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research directions. We describe algorithms and discuss current problems and limitations, covering important aspects of point based graphics.

9 Non-distorted texture mapping for sheared triangulated meshes



Bruno Lévy, Jean-Laurent Mallet

July 1998 **Proceedings of the 25th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available: [pdf\(355.88 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: discrete smooth interpolation, non distorted texture mapping, optimization, parametrization

10 A survey of methods for recovering quadrics in triangle meshes



Sylvain Petitjean

June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2

Publisher: ACM Press

Full text available: [pdf\(3.91 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirable to identify and fit simple surfaces of known type wherever these are in reasonable agreement with the data. We are interested in the class of quadric surfaces, that is, algebraic surfaces ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

11 Real-time rendering of translucent meshes



Xuejun Hao, Amitabh Varshney

April 2004 **ACM Transactions on Graphics (TOG)**, Volume 23 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.66 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Subsurface scattering is important for photo-realistic rendering of translucent materials. We make approximations to the BSSRDF model and propose a simple lighting model to simulate the effects on translucent meshes. Our approximations are based on the observation that subsurface scattering is relatively local due to its exponential falloff. In the preprocessing stage we build subsurface scattering neighborhood information, which includes all the vertices within effective scattering range from each ...

Keywords: BSSRDF, local illumination, reflection models, subsurface scattering

12 Texture synthesis: Texture design using a simplicial complex of morphable textures

 Wojciech Matusik, Matthias Zwicker, Frédo Durand
July 2005 **ACM Transactions on Graphics (TOG)**, Volume 24 Issue 3


Publisher: ACM Press

Full text available:  [pdf\(1.08 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a system for designing novel textures in the space of textures induced by an input database. We capture the structure of the induced space by a simplicial complex where vertices of the simplices represent input textures. A user can generate new textures by interpolating within individual simplices. We propose a morphable interpolation for textures, which also defines a metric used to build the simplicial complex. To guarantee sharpness in interpolated textures, we enforce histograms o ...

Keywords: data-driven models, image warping, morphable models, texture synthesis


13 Modeling with cubic A-patches

 Chandrajit L. Bajaj, Jindon Chen, Guoliang Xu
April 1995 **ACM Transactions on Graphics (TOG)**, Volume 14 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(6.74 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

14 Contour tracing by piecewise linear approximations

 David P. Dobkin, Allan R. Wilks, Silvio V. F. Levy, William P. Thurston
October 1990 **ACM Transactions on Graphics (TOG)**, Volume 9 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(2.74 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a method for tracing a curve that is represented as the contour of a function in Euclidean space of any dimension. The method proceeds locally by following the intersections of the contour with the facets of a triangulation of space. The algorithm does not fail in the presence of high curvature of the contour; it accumulates essentially no round-off error and has a well-defined integer test for detecting a loop. In developing the algorithm, we explore the nature of a particular c ...

15 View interpolation for image synthesis

 Shenchang Eric Chen, Lance Williams
September 1993 **Proceedings of the 20th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available:  [pdf\(2.18 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: image morphing, incremental rendering, interpolation, motion blur, motion compensation, real-time display, shadow, virtual holography, virtual reality

16 Constrained texture mapping for polygonal meshes

 Bruno Lévy
August 2001 **Proceedings of the 28th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available:  [pdf\(11.25 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Recently, time and effort have been devoted to automatic texture mapping. It is possible to study the parameterization function and to describe the texture mapping process in

terms of a functional optimization problem. Several methods of this type have been proposed to minimize deformations. However, these existing methods suffer from several limitations. For instance, it is difficult to put details of the texture in correspondence with features of the model, since most of the existing method ...

Keywords: paint systems, polygonal modeling, texture mapping

17 The symmetric analogue of the polynomial power basis



J. Sánchez-Reyes

July 1997 **ACM Transactions on Graphics (TOG)**, Volume 16 Issue 3

Publisher: ACM Press

Full text available: pdf(633.83 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A new polynomial basis over the unit interval $t \in [0,1]$ is proposed. The work is motivated by the fact that the monomial (power) form is not suitable in CAGD, as it suffers from serious numerical problems, and the monomial coefficients have no geometric meaning. The new form is the symmetric analogue of the power form, because it can be regarded as an "Hermite two-point expansion" instead of a Taylor ...

Keywords: Ball basis, Bernstein-Bézier basis, Hermite interpolation, degree reduction, monomial form, power basis, symmetric power

18 Creating multisided rational Bézier surfaces using base points



Joe Warren

April 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 2

Publisher: ACM Press

Full text available: pdf(4.41 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Rational Bézier surfaces provide an effective tool for geometric design. One aspect of the theory of rational surfaces that is not well understood is what happens when a rational parameterization takes on the value $(0/0, 0/0, 0/0)$ for some parameter value. Such parameter values are called base points of the parameterization. Base points can be introduced into a rational parameterization in Bézier form by setting weights of appropriate control points to zero. By judiciously introducing ...

Keywords: blowing up, multisided patches

19 Techniques for conic splines



Vaughan Pratt

July 1985 **ACM SIGGRAPH Computer Graphics , Proceedings of the 12th annual conference on Computer graphics and interactive techniques SIGGRAPH '85**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: pdf(1.07 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A number of techniques are presented for making conic splines more effective for 2D computer graphics. We give a brief account of the theory of conic splines oriented to computer graphics. We make Pitteway's algorithm exact, and repair an "aliasing" problem that has plagued the algorithm since its introduction in 1967. The curvature-matching problem for conics is solved by way of a simple formula for curvature at an endpoint which permits curvature to be matched exactly at non-inflection points ...

20 Tracing ray differentials



Homan Igehy

July 1999 **Proceedings of the 26th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available: Additional Information:

Results 1 - 20 of 25

Result page: **1** [2](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Terms used

[homogeneous](#) [barycentric](#) [vertices](#) [interpolation](#) [coefficients](#) [view world space](#)

Found 9 of 169,866

Sort results by


[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 9 of 9

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [GPGPU: general purpose computation on graphics hardware](#)



David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(63.03 MB\)](#) Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

2 [Real-time shading](#)



Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(7.39 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabili ...

3 [Point-based computer graphics](#)



Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias Zwicker

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(8.94 MB\)](#) Additional Information: [full citation](#), [abstract](#)

This course introduces points as a powerful and versatile graphics primitive. Speakers present their latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research directions. We describe algorithms and discuss current problems and limitations, covering important aspects of point based graphics.

4 [A survey of methods for recovering quadrics in triangle meshes](#)



Publisher: ACM Press

Full text available: [pdf\(3.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a variety of practical situations such as reverse engineering of boundary representation from depth maps of scanned objects, range data analysis, model-based recognition and algebraic surface design, there is a need to recover the shape of visible surfaces of a dense 3D point set. In particular, it is desirable to identify and fit simple surfaces of known type wherever these are in reasonable agreement with the data. We are interested in the class of quadric surfaces, that is, algebraic surfa ...

Keywords: Data fitting, geometry enhancement, local geometry estimation, mesh fairing, shape recovery

5 [Rendering: Interactive rendering of caustics using interpolated warped volumes](#)

Manfred Ernst, Tomas Akenine-Möller, Henrik Wann Jensen

May 2005 **Proceedings of the 2005 conference on Graphics interface GI '05**

Publisher: Canadian Human-Computer Communications Society

Full text available: [pdf\(921.22 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper we present an improved technique for interactive rendering of caustics using programmable graphics hardware. Previous real-time methods have used simple prisms for the caustic volumes and a constant intensity approximation at the receiver. Our approach uses interpolated caustic volumes to render smooth high-quality caustics. We have derived a simple formula for evaluating the density of wave-fronts along a caustic ray, and we have developed a precise method for rendering caustic vo ...

Keywords: caustic volumes, caustics, graphics hardware, real-time rendering, volume caustics

6 [View interpolation for image synthesis](#)



Shenchang Eric Chen, Lance Williams

September 1993 **Proceedings of the 20th annual conference on Computer graphics and interactive techniques**

Publisher: ACM Press

Full text available: [pdf\(2.18 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: image morphing, incremental rendering, interpolation, motion blur, motion compensation, real-time display, shadow, virtual holography, virtual reality

7 [Contour tracing by piecewise linear approximations](#)



David P. Dobkin, Allan R. Wilks, Silvio V. F. Levy, William P. Thurston

October 1990 **ACM Transactions on Graphics (TOG)**, Volume 9 Issue 4

Publisher: ACM Press

Full text available: [pdf\(2.74 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a method for tracing a curve that is represented as the contour of a function in Euclidean space of any dimension. The method proceeds locally by following the intersections of the contour with the facets of a triangulation of space. The algorithm does not fail in the presence of high curvature of the contour; it accumulates essentially no round-off error and has a well-defined integer test for detecting a loop. In developing the algorithm, we explore the nature of a particular c ...

8 [Tracing ray differentials](#)



Homan Igehy

July 1999 **Proceedings of the 26th annual conference on Computer graphics and**

interactive techniques

Publisher: ACM Press/Addison-Wesley Publishing Co.

Full text available:  pdf(1.05 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

9 Modeling II: Cellular-functional modeling of heterogeneous objects



Valery Adzhiev, Elena Kartasheva, Tosiyasu Kunii, Alexander Pasko, Benjamin Schmitt

June 2002 **Proceedings of the seventh ACM symposium on Solid modeling and applications**

Publisher: ACM Press

Full text available:  pdf(387.61 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The paper presents an approach to modeling heterogeneous objects as multidimensional point sets with multiple attributes (hypervolumes). A theoretical framework is based on a hybrid model of hypervolumes combining a cellular representation and a constructive representation using real-valued functions. This model allows for independent but unifying representation of geometry and attributes, and makes it possible to represent dimensionally non-homogeneous entities and their cellular decompositions ...

Keywords: attributes, cellular representation, function representation, heterogeneous models, multidimensional point sets, volume modeling

Results 1 - 9 of 9

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

□ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> space <and> triangle))<in>metadata)"

 [e-mail](#)  [printer friendly](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.


» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> space <and> triangle))<in>metadata)

Search 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard


No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by

 Inspec

[Search Results](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> space <and> vertex))<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 [e-mail](#)  [printer friendly](#)

» [Search Options](#)

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> space <and> vertex))<in>metadata)

[Search](#) 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE — All Rights Reserved

□ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> space <and> vertices))<in>metadata)"

☒ e-mail  printer friendly

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> space <and> vertices))<in>metadata)

Search >

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

- IEEE JNL IEEE Journal or Magazine
- IEE JNL IEE Journal or Magazine
- IEEE CNF IEEE Conference Proceeding
- IEE CNF IEE Conference Proceeding
- IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> space <and> coefficients))<in>metadat..."

☒ e-mail ☐ printer friendly

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> space <and> coefficients))<in>metadata)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by

 Inspec

□ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> vertex <and> coefficients))<in>metada..."

 e-mail  printer friendly

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> vertex <and> coefficients))<in>metadata)

[Search](#) 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

□ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> vertices <and> coefficients))<in>meta..."

 [e-mail](#)  [printer friendly](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> vertices <and> coefficients))<in>metadata

[Search](#) >

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by

 Inspec

□ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "(((homogeneous <and> barycentric <and> vertices <and> coefficient))<in>metad..."

 [e-mail](#)  [printer friendly](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((homogeneous <and> barycentric <and> vertices <and> coefficient))<in>metadata)

Search 

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE — All Rights Reserved

Indexed by

 Inspec

RESULT LIST

1 result found in the Worldwide database for:

homogeneous and barycentric and vertex and coefficients in the title or abstract

(Results are sorted by date of upload in database)

1 Method and programmable device for triangle interpolation in homogeneous space

Inventor: PROKOPENKO BORIS (US); PALTASHEV
TIMOUR (US); (+1)

Applicant:

EC: G06F17/17M; G06T15/20

IPC: **G06F17/17; G06T15/20; G06F17/17** (+2)

Publication info: **US2004145589** - 2004-07-29

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

1 result found in the Worldwide database for:

homogeneous and barycentric and vertex and space in the title or abstract

(Results are sorted by date of upload in database)

1 Method and programmable device for triangle interpolation in homogeneous space

Inventor: PROKOPENKO BORIS (US); PALTASHEV

Applicant:

TIMOUR (US); (+1)

EC: G06F17/17M; G06T15/20

IPC: **G06F17/17; G06T15/20; G06F17/17** (+2)

Publication info: **US2004145589** - 2004-07-29

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

1 result found in the Worldwide database for:

homogeneous and barycentric and coefficients in the title or abstract

(Results are sorted by date of upload in database)

1 Method and programmable device for triangle interpolation in homogeneous space

Inventor: PROKOPENKO BORIS (US); PALTASHEV
TIMOUR (US); (+1)

EC: G06F17/17M; G06T15/20

Applicant:

IPC: **G06F17/17; G06T15/20; G06F17/17** (+2)

Publication info: **US2004145589** - 2004-07-29

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

1 result found in the Worldwide database for:

homogeneous and barycentric and triangle in the title or abstract

(Results are sorted by date of upload in database)

1 Method and programmable device for triangle interpolation in homogeneous space

Inventor: PROKOPENKO BORIS (US); PALTASHEV
TIMOUR (US); (+1)

Applicant:

EC: G06F17/17M; G06T15/20

IPC: **G06F17/17; G06T15/20; G06F17/17** (+2)

Publication info: **US2004145589** - 2004-07-29

Data supplied from the *esp@cenet* database - Worldwide

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

homogeneous barycentric view space world

AND

AND

vertex vertices

OR

AND

coefficients coefficient

OR

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

homogeneous barycentric viewer space world

AND ▼

AND

vertex vertices

OR ▼

AND

coefficients coefficient

OR ▼

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.

[Search](#)[Stored data](#)

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

AND

AND

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.

[Search](#)[Stored data](#)

Copyright (C); 1998,2003 Japan Patent Office

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

homogeneous barycentric

AND ▼

AND

OR ▼

AND

OR ▼

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

Copyright (C); 1998,2003 Japan Patent Office

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

homogeneous barycentric

AND ▼

AND

coefficient coefficients

OR ▼

AND

OR ▼

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

Copyright (C); 1998,2003 Japan Patent Office

Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

[Clear](#)**Text Search**

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

AND

AND

AND

Date of publication of application --- e.g. 19980401 - 19980405

 -

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Searching PAJ

[MENU](#)[NEWS](#)[HELP](#)

Search Results : 0

Clear

Text Search

If you want to conduct a Number Search, please click on the button to the right.

[Number Search](#)

Applicant, Title of invention, Abstract --- e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

homogeneous barycentric triangle

AND ▼

AND

OR ▼

AND

OR ▼

AND

Date of publication of application --- e.g. 19980401 - 19980405

-

AND

IPC --- e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data